

INDUSTRY LEADING COMPANY

**BURAK
GALVANIZ**
STEEL SERVICE CENTRE



+90 322 337 00 00



info@burakgalvaniz.com



www.burakgalvaniz.com

"INDUSTRY LEADING COMPANY"



MADE IN

TURKEY

BURAK GALVANİZ



World Standarts In Turkey

After entering the sector by purchasing and selling steel sheet in 1988, BURAK GALVANİZ PANEL A.S. was founded in 1995 and started to produce galvanized monoblock panel from galvanized sheet for Solar Energy Sector for the first time in Turkey. Our company annually produce 150.000 galvanized panel and established BURAK STEEL SERVICE CENTRE in 2010 with its constant developing and growing structure and modern machine technology.

We keep our standards high with the good quality and selective materials supplied from Turkey's leading companies like ATAKAS, TOYO, MMK, BORCELİK ETC. With an enclosed space of 5.500 m², our factory situates in a total land area of 20.000 m² and it consists of 1 SLITTING LINE, 1 CUT TO LENGTH LINE, 1 SILUS CORRUGATED SHEET LINE, 1 DECK SHEET LINE, 1 ROLLER SHUTTER MACHINE, 1 ROOF RIGDE MACHINE, 1 EMBOSING MACHINE, 10 PROFILE MACHINES and 2 CUTTING and BENDING MACHINES. We offer our service with a total of 50 expert employees and with our management team.



OUR PRODUCTION FACILITY





OUR PRODUCTION FACILITY





PRODUCTION LINES

DECK SHEET LINE

In our facility, cut to size deck sheet is produced by using 0.30mm-0.80mm thick galvanized and painted rolls. Deck sheets are used in roof and façade coatings, prefabricated building manufacturing, shed manufacturing, silo and facade constructions and as concrete mould between floors in steel buildings.

	minimum	maximum
Plate Thickness	0.30 mm	0.80 mm
Plate Length	1000 mm	12.000 mm
Effective Width	800 mm	875 mm
	Tolerance +- 15 mm	



SLITTING LINE

In our Steel Service Centre, galvanized black and colored DKP sheets with a width of 1600 mm and with a thickness of 0.25-3.00 mm are produced as rolled or sliced bands as per our customer's request.

We also offer roll shrinking service in our facility.



CUT TO LENGTH LINE

In addition to our Roll Sheets, we also offer cut-to-size galvanized black and colored DKP sheets with a width of 1600 mm and a thickness of 0.25-2.50 mm.



ROLLER SHUTTER LINE

We produce galvanized black and colored roller shutter sheet with a width of 1600 mm and with a thickness of 0.25-0.50 mm. Roller shutter sheets are used in shop and store buildings, shutter and blind production, decorative roof constructions and façade coatings.

	minimum	maximum
Plate Thickness	0.25 mm	0.50 mm
Plate Length	500 mm	3200 mm
Effective Width	800 mm	875 mm
	Tolerance +- 15 mm	



PRODUCTION LINES

CORRUGATED LINE

We produce cut-to-size corrugated sheet with galvanized black and colored rollers with a thickness of 0.30 mm-0.80 mm. They are used in prefabricated building manufacturing, roof and facade coatings, silo and warehouse building.

	minimum	maximum
Plate Thickness	0.30 mm	0.80 mm
Plate Length	1000 mm	6000 mm
Effective Width	815 mm	
	Tolerance +- 15 mm	



ROOF RIDGE

In our Steel Service Centre, we produce cut-to-size roof ridge with a thickness of 0.35mm-0.80mm.



PRODUCTS

COLORED SHEET

Galvanized colored sheet is used in many industries. The colored galvanized sheet is manufactured with 5-micron primer and 20-micron polyester coated on the surface and 7 or 8-micron epoxy polyester coated on last and bottom layer of galvanized sheet.

	minimum	maximum
Plate Thickness	0.30 mm	0.80 mm
Plate Length	1000 mm	12.000 mm
Width	1000 mm	1200 mm


Tolerance +- 15 mm



EMBOSSED SHEET

Embossed sheets are manufactured with a sheet thickness of minimum 0.25 mm to maximum 0.50 mm, they are decorative and they are used as roll, straight plate, corrugated plate, deck sheet plate and roller shutter plate.

	minimum	maximum
Plate Thickness	0.30 mm	0.50 mm



STRAIGHT SHEET

Straight sheet is used in white goods industry, automotive industry, in every kind of air conditioning and ventilation channels, cable channel manufacturing, every kind of tank (water and fuel) manufacturing, stove and pipe production and solar collector manufacturing.

	minimum	maximum
Plate Thickness	0.25 mm	2.50 mm
Plate Length	1000 mm	6.000 mm
Plate Width	300 mm	6000 mm
Stacking weight	1 ton	6 tones

Tolerance +- 15 mm



PRODUCTS

ROLL SHEET

The zinc plating of roll sheets meets with the Turkish and the world standards. Required cutting, slitting and shaping can be provided for manufacturers.

	minimum	maximum
Roll Thickness	0.25 mm	2.50 mm
Roll Inner Diameter	508 mm	610 mm
Roll Width	300 mm	1500 mm
Roll Weight	1000 kg	15000 kg



SLIT ROLL SHEET

Galvanized and colored rolls are slit into strip coils to customer specified width. Slit rolls are used in many industries like seamless corrugated accessories and profile manufacturing.

	minimum	maximum
Roll Thickness	0.25 mm	3.00 mm
Roll Inner Diameter	508 mm	610 mm
Roll Width	20 mm	1500 mm
Roll Weight	250 kg	1500 kg





PROFILE MACHINES



Roof U Profile




Roof C Profile



Roof L Profile



Perforated Corner Profile



Edge L Profile



Wall C Profile



Wall U Profile




Rough Cast Profile

CEILING U PRO FILES (22x28x22)




	SIZE mm	LENGTH	PACKAGE / PALLET
TU PROFILE 0.40mm	22/28/22	3000mm	PACKAGE 24 / PALLET 90
TU PROFILE 0.45mm	22/28/22	3000mm	PACKAGE 24 / PALLET 90
TU PROFILE 0.50mm	22/28/22	3000mm	PACKAGE 24 / PALLET 90
TU PROFILE 0.60mm	22/28/22	3000mm	PACKAGE 24 / PALLET 90




CEILING U PROFILES (24x28x24)




NAME OF PRODUCT	SIZE mm	LENGTH	PACKAGE / PALLET
TU PROFILE 0.40mm	24/28/24	3000mm	PACKAGE 24 / PALLET 90
TU PROFILE 0.45mm	24/28/24	3000mm	PACKAGE 24 / PALLET 90
TU PROFILE 0.50mm	24/28/24	3000mm	PACKAGE 24 / PALLET 90
TU PROFILE 0.60mm	24/28/24	3000mm	PACKAGE 24 / PALLET 90



CEILING U PROFILES (26x28x26)




NAME OF PRODUCT	SIZE mm	LENGTH	PACKAGE / PALLET
TU PROFILE 0.40mm	26/28/26	3000mm	PACKAGE 24 / PALLET 90
TU PROFILE 0.45mm	26/28/26	3000mm	PACKAGE 24 / PALLET 90
TU PROFILE 0.50mm	26/28/26	3000mm	PACKAGE 24 / PALLET 90
TU PROFILE 0.60mm	26/28/26	3000mm	PACKAGE 24 / PALLET 90




CEILING C PROFILES (27x60x27)



NAME OF PRODUCT	SIZE mm	LENGTH	PACKAGE / PALLET
TC PROFILE 0.40mm	27/60/27	3000mm	PACKAGE 12 / PALLET 72
TC PROFILE 0.45mm	27/60/27	3000mm	PACKAGE 12 / PALLET 72
TC PROFILE 0.50mm	27/60/27	3000mm	PACKAGE 12 / PALLET 72
TC PROFILE 0.60mm	27/60/27	3000mm	PACKAGE 12 / PALLET 72




WALL U 50 PROFILES (30 x 50 x 30)



NAME OF PRODUCT	SIZE mm	LENGTH	PACKAGE / PALLET
DU 50 PROFILE 0.45mm	30/50/30	3000mm	PACKAGE 12 / PALLET 54
DU 50 PROFILE 0.50mm	30/50/30	3000mm	PACKAGE 12 / PALLET 54
DU 50 PROFILE 0.60mm	30/50/30	3000mm	PACKAGE 12 / PALLET 54




WALL U 50 PROFILES (35 x 50 x 35)



NAME OF PRODUCT	SIZE mm	LENGTH	PACKAGE / PALLET
DU 50 PROFILE 0.45mm	35/50/35	3000mm	PACKAGE 12 / PALLET 54
DU 50 PROFILE 0.50mm	35/50/35	3000mm	PACKAGE 12 / PALLET 54
DU 50 PROFILE 0.60mm	35/50/35	3000mm	PACKAGE 12 / PALLET 54




WALL C 50 PROFILES (40 x 50 x 40)



NAME OF PRODUCT	SIZE mm	LENGTH	PACKAGE / PALLET
DC 50 PROFILE 0.45mm	35/49/35	3000mm	PACKAGE 12 / PALLET 54
DC 50 PROFILE 0.50mm	35/49/35	3000mm	PACKAGE 12 / PALLET 54
DC 50 PROFILE 0.60mm	35/49/35	3000mm	PACKAGE 12 / PALLET 54




WALL C 50 PROFILES (45 x 50 x 45)



NAME OF PRODUCT	SIZE mm	LENGTH	PACKAGE / PALLET
DC 50 PROFILE 0.45mm	40/49/40	3000mm	PACKAGE 12 / PALLET 54
DC 50 PROFILE 0.50mm	40/49/40	3000mm	PACKAGE 12 / PALLET 54
DC 50 PROFILE 0.60mm	40/49/40	3000mm	PACKAGE 12 / PALLET 54




WALL C 50 PROFILES (45 x 50 x 45)




NAME OF PRODUCT	SIZE mm	LENGTH	PACKAGE / PALLET
DC 50 PROFILE 0.45mm	45/49/45	3000mm	PACKAGE 12 / PALLET 54
DC 50 PROFILE 0.50mm	45/49/45	3000mm	PACKAGE 12 / PALLET 54
DC 50 PROFILE 0.60mm	45/49/45	3000mm	PACKAGE 12 / PALLET 54




WALL U 75 PROFILES (30 x 75 x 30)




NAME OF PRODUCT	SIZE mm	LENGTH	PACKAGE / PALLET
DU 75 PROFILE 0.45mm	30/75/30	3000mm	PACKAGE 12 / PALET 42
DU 75 PROFILE 0.50mm	30/75/30	3000mm	PACKAGE 12 / PALET 42
DU 75 PROFILE 0.60mm	30/75/30	3000mm	PACKAGE 12 / PALET 42



WALL U 75 PROFILES (35 x 75 x 35)




NAME OF PRODUCT	SIZE mm	LENGTH	PACKAGE / PALLET
DU 75 PROFILE 0.45mm	35/75/35	3000mm	PACKAGE 12 / PALET 42
DU 75 PROFILE 0.50mm	35/75/35	3000mm	PACKAGE 12 / PALET 42
DU 75 PROFILE 0.60mm	35/75/35	3000mm	PACKAGE 12 / PALET 42



WALL C 75 PROFILES (35 x 75 x 35)




NAME OF PRODUCT	SIZE mm	LENGTH	PACKAGE / PALLET
DC 75 PROFILE 0.45mm	35/74/35	3000mm	PACKAGE 12 / PALET 42
DC 75 PROFILE 0.50mm	35/74/35	3000mm	PACKAGE 12 / PALET 42
DC 75 PROFILE 0.60mm	35/74/35	3000mm	PACKAGE 12 / PALET 42



WALL C 75 PROFILES (40 x 75 x 40)




NAME OF PRODUCT	SIZE mm	LENGTH	PACKAGE / PALLET
DC 75 PROFILE 0.45mm	40/74/40	3000mm	PACKAGE 12 / PALET 42
DC 75 PROFILE 0.50mm	40/74/40	3000mm	PACKAGE 12 / PALET 42
DC 75 PROFILE 0.60mm	40/74/40	3000mm	PACKAGE 12 / PALET 42




WALL C 75 PROFILES (45 x 75 x 45)



NAME OF PRODUCT	SIZE mm	LENGTH	PACKAGE / PALLET
DC 75 PROFILE 0.45mm	45/74/45	3000mm	PACKAGE 12 / PALET 42
DC 75 PROFILE 0.50mm	45/74/45	3000mm	PACKAGE 12 / PALET 42
DC 75 PROFILE 0.60mm	45/74/45	3000mm	PACKAGE 12 / PALET 42




WALL U 100 PROFILES (30 x 100 x 30)



NAME OF PRODUCT	SIZE mm	LENGTH	PACKAGE / PALLET
DU 100 PROFILE 0.45mm	30/100/30	3000mm	PACKAGE 12 / PALET 40
DU 100 PROFILE 0.50mm	30/100/30	3000mm	PACKAGE 12 / PALET 40
DU 100 PROFILE 0.60mm	30/100/30	3000mm	PACKAGE 12 / PALET 40




WALL U 100 PROFILES (35 x 100 x 35)



NAME OF PRODUCT	SIZE mm	LENGTH	PACKAGE / PALLET
DU 100 PROFILE 0.45mm	35/100/35	3000mm	PACKAGE 12 / PALET 40
DU 100 PROFILE 0.50mm	35/100/35	3000mm	PACKAGE 12 / PALET 40
DU 100 PROFILE 0.60mm	35/100/35	3000mm	PACKAGE 12 / PALET 40




WALL C 100 PROFILES (35 x 100 x 35)



NAME OF PRODUCT	SIZE mm	LENGTH	PACKAGE / PALLET
DC 100 PROFILE 0.45mm	35/99/35	3000mm	PACKAGE 12 / PALET 40
DC 100 PROFILE 0.50mm	35/99/35	3000mm	PACKAGE 12 / PALET 40
DC 100 PROFILE 0.60mm	35/99/35	3000mm	PACKAGE 12 / PALET 40




WALL C 100 PROFILES (40 x 100 x 40)



NAME OF PRODUCT	SIZE mm	LENGTH	PACKAGE / PALLET
DC 100 PROFILE 0.45mm	40/99/40	3000mm	PACKAGE 12 / PALET 40
DC 100 PROFILE 0.50mm	40/99/40	3000mm	PACKAGE 12 / PALET 40
DC 100 PROFILE 0.60mm	40/99/40	3000mm	PACKAGE 12 / PALET 40




WALL C 100 PROFILES (45 x 100 x 45)




NAME OF PRODUCT	SIZE mm	LENGTH	PACKAGE / PALLET
DC 100 PROFILE 0.45mm	45/99/45	3000mm	PACKAGE 12 / PALET 40
DC 100 PROFILE 0.50mm	45/99/45	3000mm	PACKAGE 12 / PALET 40
DC 100 PROFILE 0.60mm	45/99/45	3000mm	PACKAGE 12 / PALET 40




CEILING L PROFILES (25 x 25)




NAME OF PRODUCT	SIZE mm	LENGTH	PACKAGE / PALLET
TL PROFILE 0.40mm	25X25	3000mm	PACKAGE 50 / PALET 20
TL PROFILE 0.45mm	25X25	3000mm	PACKAGE 50 / PALET 20
TL PROFILE 0.50mm	25X25	3000mm	PACKAGE 50 / PALET 20




CEILING L PROFILES (30 x 30)



NAME OF PRODUCT	SIZE mm	LENGTH	PACKAGE / PALLET
TL PROFILE 0.40mm	30X30	3000mm	PACKAGE 50 / PALET 20
TL PROFILE 0.45mm	30X30	3000mm	PACKAGE 50 / PALET 20
TL PROFILE 0.50mm	30X30	3000mm	PACKAGE 50 / PALET 20




PAINTED RAL(9016) CORNER L PROFILES (20 x 20)



NAME OF PRODUCT	SIZE mm	LENGTH	PACKAGE / PALLET
PAINTED RAL L PROFILES 0.45mm	20 x 20	3000mm	PACKAGE 50 / PALET 40




ROUGH CAST PROFILES (35 x 35)



NAME OF PRODUCT	SIZE mm	LENGTH	PACKAGE / PALLET
ROUGH CAST PROFILES 0.35 mm	35x35	2700mm	PACKAGE 100 / PALET 25
ROUGH CAST PROFILES 0.40 mm	35x35	2700mm	PACKAGE 100 / PALET 25
ROUGH CAST PROFILES 0.45 mm	35x35	2700mm	PACKAGE 100 / PALET 25




PERFORATED CORNER PROFILES (20 x 20)



NAME OF PRODUCT	SIZE mm	LENGTH	PACKAGE / PALLET
PC PROFILES 0.25mm	20x20	2700mm	PACKAGE 50 / PALET 50
PC PROFILES 0.27mm	20x20	2700mm	PACKAGE 50 / PALET 50
PC PROFILES 0.30mm	20x20	2700mm	PACKAGE 50 / PALET 50
PC PROFILES 0.35mm	20x20	2700mm	PACKAGE 50 / PALET 50




PERFORATED CORNE R PROFILES (21x21)



NAME OF PRODUCT	SIZE mm	LENGTH	PACKAGE / PALLET
PC PROFILES 0.27mm	21x21	2700mm	PACKAGE 50 / PALET 50
PC PROFILES 0.30mm	21x21	2700mm	PACKAGE 50 / PALET 50
PC PROFILES 0.35mm	21x21	2700mm	PACKAGE 50 / PALET 50
PC PROFILES0.40mm	21x21	2700mm	PACKAGE 50 / PALET 50



PERFORATED CORNE R PROFILES (22 x 22)



NAME OF PRODUCT	SIZE mm	LENGTH	PACKAGE / PALLET
PC PROFILES 0.27mm	22x22	2700mm	PACKAGE 50 / PALET 50
PC PROFILES 0.30mm	22x22	2700mm	PACKAGE 50 / PALET 50
PC PROFILES 0.35mm	22x22	2700mm	PACKAGE 50 / PALET 50
PC PROFILES 0.40mm	22x22	2700mm	PACKAGE 50 / PALET 50



QUALITY CERTIFICATES



TÜRKAK
Kalite Yönetim Sistemi
TS EN ISO/IEC 17021
AB-00853-YŞ

ZİN

BELGELENDİRME SAN.TİC.LTD.ŞTİ.

SERTİFİKA

Sertifika No: ZİN/KY/404

İlk Belgeleme Tarihi: 25.01.2017

Belge Tarihi: 25.01.2017

Belge Periyodu: 1 Yıllık

Belge Geçerlilik Tarihi: 24.01.2018

Bu Sertifika Aşağıdaki İşletmede:
BURAK GALVANİZ SAC SAN. VE TİC. LTD. ŞTİ.
 YENİ MAHASEM İNÇİRLİK BLV.309 B SARIÇAM ADANA

Kalite Yönetim Sisteminin Uygunluğunu Belgelemek Amacıyla Verilmiştir. Sertifika:
ISO 9001:2008

Standardı ve Aşağıdaki Faaliyet Kapsamları İçin Geçerlidir:
 ÇATI VE DUVAR KAPLAMA LEVHALARI-ALCI LEVHA SİSTEMLERİNDE KULLANILAN METAL ÇERÇEVE BİLEŞENLERİ ÜRETİMİ VE SATIŞI

EA KODU : 17

Belgeyi Veren Kuruluş
ZİN BELGELENDİRME SAN. TİC. LTD. ŞTİ.

Yetkili İmza: 

Kervan Geçmez Sk. Tomuruk Apt. No:147 Macidiyeköy - Şişli / İST. Tel: (0212) 287 91 17 - Faks: (0212) 287 91 18 www.zinbelgelendirme.com info@zinbelgelendirme.com



TÜRK STANDARLARI ENSTİTÜSÜ
TÜRK STANDARLARINA UYGUNLUK BELGESİ

TURKISH STANDARDS INSTITUTION
CERTIFICATE OF CONFORMITY TO TURKISH STANDARDS

Markanın Tamamı	Description of the Mark
TSE	TSE
BELGE NUMARASI REFERENCE NUMBER OF LICENCE	174044-TSE-0201
BELGENİN İLK VERİŞİ TARİHİ DATE OF FIRST ISSUE OF LICENCE	26.12.2016
BELGENİN SON GEÇERLİLİK TARİHİ LICENCE VALID UNTIL	26.12.2017
BELGE SAHİBİ KURULUŞUN ADI NAME OF THE LICENSE HOLDER	BURAK GALVANİZ SAC SAN VE TİC.LTD.ŞTİ.
BELGE SAHİBİ KURULUŞUN ADRESİ ADDRESS OF THE LICENSE HOLDER	YENİ MAHASEM İNÇİRLİK BLV. NO.309 B SARIÇAM ADANA/TÜRKİYE
ÜRETİM YERİ ADI NAME OF THE MANUFACTURING PLACE	BURAK GALVANİZ SAC SANAYİ VE TİCARET LİMİTED ŞİRKETİ
ÜRETİM YERİ ADRESİ ADDRESS OF THE MANUFACTURING PLACE	B YENİ MAHALLE İNÇİRLİK BULVARI NO.309 B / SARIÇAM ADANA / TÜRKİYE
İPTAL EDİLEN BELGE NUMARASI (Varsa) INDICATION OF SUPERSEDED LICENCE (If any)	Şifreli:
TESCİLLİ TİCARİ MARKASI REGISTERED TRADE MARK	burak galvaniz sac san. ve tic. ltd. şti. 9901
İLGİLİ TÜRK STANDARLARI RELATED TURKISH STANDARD	TS EN 508-1 Çatı ve duvar kaplama levhaları - Metal - Kaliteli boyanmış - Çelik, alüminyum veya paslanmaz çelikten yapılmış - Çerçevesiz - Bölüm 1 - Çelik / 26.10.2014
BELGE KAPSAMI SCOPE OF LICENCE	ÇATI KAPLAMA LEVHALARI - METALDEN - Tip Z - Sıcak Daldırılmış Çinko (Galvaniz) ve Organik Kaplı (Boyaltı) Çelik Levhalar - Trapez Kesitli Çukuk Levhalar - Arma kalınlıkları: 0.40 mm (Dahil) / 0.51 mm (Dahil) ve kalde Arma genişliği: 830 mm ve 1030 mm

28.12.2016



TSE ADANA BELGELENDİRME MÜDÜRÜ

http://www.kontrast.com.tr/BelgeBelgelemleri.aspx?y=whs&id=163&bilgi=163&bilgi=163&bilgi=163



TÜRK STANDARLARI ENSTİTÜSÜ
TÜRK STANDARLARINA UYGUNLUK BELGESİ

TURKISH STANDARDS INSTITUTION
CERTIFICATE OF CONFORMITY TO TURKISH STANDARDS

Markanın Tamamı	Description of the Mark
TSE	TSE
BELGE NUMARASI REFERENCE NUMBER OF LICENCE	174044-TSE-0101
BELGENİN İLK VERİŞİ TARİHİ DATE OF FIRST ISSUE OF LICENCE	21.11.2016
BELGENİN SON GEÇERLİLİK TARİHİ LICENCE VALID UNTIL	21.11.2017
BELGE SAHİBİ KURULUŞUN ADI NAME OF THE LICENSE HOLDER	BURAK GALVANİZ SAC SAN VE TİC.LTD.ŞTİ.
BELGE SAHİBİ KURULUŞUN ADRESİ ADDRESS OF THE LICENSE HOLDER	YENİ MAHASEM İNÇİRLİK BLV. NO.309 B SARIÇAM ADANA/TÜRKİYE
ÜRETİM YERİ ADI NAME OF THE MANUFACTURING PLACE	BURAK GALVANİZ SAC SANAYİ VE TİCARET LİMİTED ŞİRKETİ
ÜRETİM YERİ ADRESİ ADDRESS OF THE MANUFACTURING PLACE	B YENİ MAHALLE İNÇİRLİK BULVARI NO.309 B / SARIÇAM ADANA / TÜRKİYE
İPTAL EDİLEN BELGE NUMARASI (Varsa) INDICATION OF SUPERSEDED LICENCE (If any)	Şifreli:
TESCİLLİ TİCARİ MARKASI REGISTERED TRADE MARK	burak galvaniz sac san. ve tic. ltd. şti. 9901
İLGİLİ TÜRK STANDARLARI RELATED TURKISH STANDARD	TS EN 14195 / Alçı levha sistemlerinde kullanılan metal çerçeve bileşenleri - Tarifler, genelikler ve deney yöntemleri / 13.02.2015
BELGE KAPSAMI SCOPE OF LICENCE	Alçı levha sistemlerinde kullanılan metal çerçeve bileşenleri - Yarıgeniye Tepeleli Çelik, Tip Z - Sıcak Daldırılmış Galvaniz (Çinko) Kaplamalı - Metal Çerçeve Bileşenleri TS EN 14195 - burak galvaniz sac san. ve tic. ltd. şti. 9901 Z100UJ22/29/22/0.4/3000 - burak galvaniz sac san. ve tic. ltd. şti. 9901 Z100UJ22/29/22/0.45/3000 - burak galvaniz sac san. ve tic. ltd. şti. 9901 Z100UJ26/29/26/0.50/3000 - burak galvaniz sac san. ve tic. ltd. şti. 9901 Z100UJ30/29/30/0.50/3000

21.11.2016



TSE ADANA BELGELENDİRME MÜDÜRÜ

http://www.kontrast.com.tr/BelgeBelgelemleri.aspx?y=whs&id=163&bilgi=163&bilgi=163



TÜRK STANDARLARI ENSTİTÜSÜ
TÜRK STANDARLARINA UYGUNLUK BELGESİ

TURKISH STANDARDS INSTITUTION
CERTIFICATE OF CONFORMITY TO TURKISH STANDARDS

Markanın Tamamı	Description of the Mark
TSE	TSE
BELGE KAPSAMI (174044-TSE-418) (nolu belge devami)	BURAK GALVANİZ SAC SAN VE TİC.LTD.ŞTİ. İLGİLİ TÜRK STANDARLARI (RELATED TURKISH STANDARD): TS EN 14195 / Alçı levha sistemlerinde kullanılan metal çerçeve bileşenleri - Tarifler, genelikler ve deney yöntemleri / 13.02.2015
	burak galvaniz sac san. ve tic. ltd. şti. 9901 Z100UJ22/29/22/0.50/3000 - burak galvaniz sac san. ve tic. ltd. şti. 9901 Z100UJ22/29/22/0.40/3000 - burak galvaniz sac san. ve tic. ltd. şti. 9901 Z100UJ27/29/27/0.45/3000 - burak galvaniz sac san. ve tic. ltd. şti. 9901 Z100UJ27/29/27/0.50/3000 - burak galvaniz sac san. ve tic. ltd. şti. 9901 Z100UJ35/49/35/0.50/3000 - burak galvaniz sac san. ve tic. ltd. şti. 9901 Z100UJ35/49/35/0.50/3000

21.11.2016



TSE ADANA BELGELENDİRME MÜDÜRÜ

http://www.kontrast.com.tr/BelgeBelgelemleri.aspx?y=whs&id=163&bilgi=163&bilgi=163





Yenidoğan Mah. Girne Bul. No: 309/B
(Ceyhan Karayolu 10.km) Sarçam / ADANA / TURKEY
Tel : +90 322 337 00 00 - +90 322 346 01 94
Faks : +90 322 337 00 03 - +90 322 346 32 45
www.burakgalvaniz.com